

DMB

DANISH MEDICAL BULLETIN

Published for
THE MEDICAL FACULTIES OF THE UNIVERSITIES OF COPENHAGEN AND AARHUS
AND THE NATIONAL BOARD OF HEALTH OF DENMARK

EDITORS

John Philip Karsten Jensen

EDITORIAL BOARD

E. Holst	J. Philip	P. Riis		
B. Harvald	J. C. Melchior	R. Vejlsgaard		
E. Skadhauge	T. Hansen	N. Rosdahl	P. Holm-Nielsen	J. J. Pindborg

LANGUAGE EDITOR

T. Kennedy

EDITORIAL ASSISTANT

Karin Borgkvist


Published by

UGESKRIFT FOR LÆGER

THE DANISH MEDICAL ASSOCIATION

Domus Medica, Trondhjems gate 9, DK-2100 Copenhagen Ø, Denmark

VOL. 28 1981



SUBJECT INDEX

- | | | | |
|---|-----|--|-----|
| Alcoholic ketoacidosis. — presenting as an acute abdomen | 218 | women born in 1914 and examined in 1964 and 1974 in Glostrup | 154 |
| Alpha-fetoprotein. Maternal serum — in the diagnosis of hydatidiform mole. A report of two cases with elevated levels of maternal serum AFP | 123 | Cardiovascular manifestations. A longitudinal epidemiological survey of relative weight age 25, 50 and 60 in the Glostrup population of men and women born in 1914. Ten-year mortality and ten-year incidence of — in relation to relative weight at age 50 and age 25. | 106 |
| Amiloride. — treatment in patients with potassium-losing nephropathy | 210 | Cervical cancer. Clinical breast examination as a supplement to mass screening for — | 100 |
| Anaerobic. Kinetic studies on changes in the redox state of in vitro incubation of peripheral blood from multiple sclerosis patients under partial — conditions | 78 | Cholangiography. Intravenous — and ^{99m} Tc-DIDA cholescintigraphy in nonvisualisation of the gall bladder on oral cholecystography | 205 |
| Arterial tone. Digital — in hypertensive subjects treated with cardioselective and non-selective beta-adrenoreceptor blocking agents | 76 | Cholescintigraphy. Intravenous cholangiography and ^{99m} Tc-DIDA in nonvisualisation of the gall bladder on oral cholecystography | 205 |
| Beta-adrenoreceptor blocking agents. Digital arterial tone in hypertensive subjects treated with cardioselective and non-selective — ... | 76 | Cholecystography. Intravenous cholangiography and ^{99m} Tc-DIDA cholescintigraphy in nonvisualisation of the gall bladder on oral — | 205 |
| Blood pressure — as a cardiovascular risk factor in a 10-year prospective study of men and women born in 1914 and examined in 1964 and 1974 in Glostrup | 154 | Cholesterol. Fasting serum — and triglyceride values in a ten-year prospective study of the 1914-population in Glostrup, 1964-1974 | 251 |
| Blood pressure. Assessment of — in hypertensive subjects using home readings | 197 | Conception. Seasonal — by women in various age groups compared with the season of menarche | 148 |
| Blood pressure. Liquorice consumption and its influence on — in Danish school-children ... | 124 | Dementia. Reversible — in idiopathic hypoparathyroidism | 74 |
| Breast. Clinical — examination as a supplement to mass screening for cervical cancer. | 100 | Diabetes mellitus. A case of permanent — in a neonate | 216 |
| Breast cancer. Organisation of the Danish adjuvant trials in — | 102 | Digoxin-quinidine. Clinical aspects of the — interaction | 128 |
| Biliary cirrhosis. Asymptomatic primary — associated with Raynaud's phenomenon, sclerodactyly and teleangiectasia | 212 | Drug consumption. — and age in a department of internal medicine | 71 |
| Cardiac rupture. — complicating myocardial infarction. A study concerning early diagnosis and possible management | 164 | Echocardiography. Pulmonary thromboembolism indicated by — | 67 |
| Cardioselective. Digital arterial tone in hypertensive subjects treated with — and non-selective beta-adrenoreceptor blocking agents | 76 | Ectopic hormone production. Clinical implications of — in small cell carcinoma of the lung | 221 |
| Cardiovascular. A ten-year prospective study 1964-1974, of — risk factors in men and women from the Glostrup population born in 1974. Multivariate analyses | 236 | Endoscopic service. — for general practice. Diagnostic results | 92 |
| Cardiovascular. Blood pressure as a — risk factor in a 10-year prospective study of men and | | Endoscopic service. — for general practice. Organisation and experience | 96 |
| | | Electroconvulsive therapy. Monitored — | 193 |
| | | Fetal activity. — acceleration determination | 64 |
| | | Fructose. Intravenous administration of glucose | |

and — in the uncomplicated postoperative period	45	Multiple myeloma. Whole body bone scintigraphy compared to conventional radiography in detecting bone lesions in —	207
Gall bladder. Intravenous cholangiography and ^{99m} Tc-DIDA cholescintigraphy in non-visualisation of the — on oral cholecystography	205	Multiple sclerosis. Kinetic studies on changes in the redox state of in vitro incubation of peripheral blood from — patients under partial anaerobic conditions	78
Gastric cancer. Early diagnosis of —. The possibility of delimiting high risk groups	89	Myocardial infarction. Cardiac rupture complicating —. A study concerning early diagnosis and possible management	164
Gastrointestinal. — bleeding detected with ^{99m} Tc-labelled erythrocytes	34	Neonatal intensive care. The use of TcpO ₂ monitoring in —	37
Gastrointestinal surgery. A follow-up study of octogenarians after major —	204	Neonate. A case of permanent diabetes mellitus in a —	216
Glucose. Intravenous administration of — and fructose in the uncomplicated postoperative period	45	Nephropathy. Amiloride treatment in patients with potassium-losing —	210
Glycosuria. Reduced — during guar gum supplementation in non-insulin-dependent diabetics. A double-blind, randomised cross-over study	41	19-hydroxy prostaglandin E. Prostaglandin E and — content in the semen of men with normal sperm characteristics, men with abnormal sperm characteristics, vasectomised men and polyzoospermic men	201
Guar gum. Reduced glycosuria during — supplementation in non-insulin-dependent diabetics. A double-blind, randomised cross-over study	41	Non-insulin-dependent diabetics. Reduced glycosuria during guar gum supplementation in —. A doubleblind, randomised cross-over study	41
Hepatis A. Epidemiological aspects of viral — and B infections. A review with special reference to serological studies in isolated areas	177	Octogenarians. A follow up study of — after major gastrointestinal surgery	204
Hepatis B. Epidemiological aspects of viral — infections. A review with special reference to serological studies in isolated areas	177	Porphyria. Uroporphyrinogen synthetase in erythrocytes. Its diagnostic value in latent acute intermittent — with special regard to the gene penetrance	27
High risk groups. Early diagnosis of gastric cancer. The possibility of delimiting —	89	Periodic paralysis. Familial — with hypokalaemia. Experimental and clinical investigations (correction between pages 66-67).	1
Home readings. Assessment of blood pressure in hypertensive subjects using —	197	Platelets. — and renal disease. A review	116
Hydatidiform mole. Maternal serum alphafetoprotein in the diagnosis of —. A report of two cases with elevated levels of maternal serum AFP	123	Polyzoospermic. Prostaglandin E and 19-hydroxy prostaglandin E content in the semen of men with normal sperm characteristics, men with abnormal sperm characteristics, vasectomised men and — men	201
Hypertensive. Assessment of blood pressure in — subjects using home readings	197	Postoperative. Diagnostic value of serum and urine urea in — complications	126
Hypertensive. Digital arterial tone in — subjects treated with cardioselective and non-selective beta-adrenoreceptor blocking agents	76	Postoperative period. Intravenous administration of glucose and fructose in the uncomplicated —	45
Hypokalaemia. Familial periodic paralysis with —. Experimental and clinical investigations (correction between pages 66-67).	1	Potassium-losing nephropathy. Amiloride treatment in patients with —	210
Hypoparathyroidism. Reversible dementia in idiopathic —	74	Prognosis evaluation. On relative survival as a measure in —	260
Insemination. Donor —. A prospective sociopsychiatric investigation of 48 couples.	133	Prostaglandin E. — and 19-hydroxy prostaglandin E content in the semen of men with normal sperm characteristics, men with abnormal sperm characteristics, vasectomised men and polyzoospermic men	201
Interaction. Clinical aspects of the digoxin-quinidine —	128	Pulmonary. — thromboembolism indicated by echocardiography	67
Ketoacidosis. Alcoholic — presenting as an acute abdomen	218	Raynaud's phenomenon. Asymptomatic primary biliary cirrhosis associated with —, sclerodactyly and teleangiectasia	212
Lead. Indicators of — exposure in an adult Danish suburban population	168	Redox state. Kinetic studies on changes in the — of in vitro incubation of peripheral blood from multiple sclerosis patients under partial anaerobic conditions	78
Liquorice. — consumption and its influence on blood pressure in Danish school-children ...	124		
Menarche. Seasonal conception by women in various age groups compared with the season of —	148		

Relative survival. On — as a measure in prognosis evaluation	260	TcpO ₂ . The use of — monitoring in neonatal intensive care	37
Renal disease. Platelets and —. A review	116	Teleangiectasia. Asymptomatic primary biliary cirrhosis associated with Raynaud's phenomenon, sclerodactyly and —	212
Risk factors. A ten-year prospective study, 1964-1974, of cardiovascular — in men and women from the Glostrup population born in 1974. Multivariate analyses	236	Thorvald Madsen	82
Scintigraphy. Whole body bone — compared to conventional radiography in detecting bone lesions in multiple myeloma	207	Thromboembolism. Pulmonary — indicated by echocardiography	67
Sclerodactyly. Asymptomatic primary biliary cirrhosis associated with Raynaud's phenomenon, — and teleangiectasia	212	Triglyceride. Fasting serum cholesterol and — values in a ten-year prospective study of the 1914-population in Glostrup, 1964-1974	251
Seasonal. — conception by women in various age groups compared with the season of menarche	148	Urea. Diagnostic value of serum and urine — in postoperative complications	126
Semen. Prostaglandin E and 19-hydroxy prostaglandin E content in the — of men with normal sperm characteristics, men with abnormal sperm characteristics, vasectomised men and polyzoospermic men	201	Uroporphyrinogen synthetase. — in erythrocytes. Its diagnostic value in latent acute intermittent porphyria with special regard to the gene penetrance	27
Small cell carcinoma. Clinical implications of ectopic hormone production in —	221	Weight. A longitudinal epidemiological survey of relative — at age 25, 50 and 60 in the Glostrup population of men and women born in 1914. Ten-year mortality and ten-year incidence of cardiovascular manifestations in relation to relative weight at age 50 and age 25.	106
Socio-psychiatric. Donor insemination. A prospective — investigation of 48 couples.	133		

INDEX OF AUTHORS

Andersen J	102	Grandjean P	168
Andersen KW	102	Green A	260
Andersen T	71	Grunnet K	251
Badskjær J	197	Hansen JE Mølholm	71
Bansal RK	201	Hansen M	221
Berg O	100	Hansen P From	251
Berning J	67	Hasselbalch H	218
Bolvig TG	193	Henriksen E	102
Bostofte E	100	Hess J	71
Brincker H	102	Hessov J	45
Castberg T	102	Hetmar O	193
Christensen B	205	Hollnagel H	168
Christiansen LV	71	Holm V	78
Clausen C	212	Hou-Jensen K	102
Clemmensen L	193	Hougen HP	204
Daugbjerg PS	216	Hyldstrup L	74
Deding Aa	207	Ibsen K Kaas	124
Diederichsen H	212	Ingeberg S	207
Dyrbye M	34	Jensen H /Erenlund	210
Egeblad H	67	Johansen H	102
Fischerman K	102	Johnsen T (correction between pages 66-67)	1
Friis-Hansen B	37	Jørgensen K Anker	116
Faaborg-Andersen J	126	Jørgensen PS	207
		Kampmann JP	71

Kassis E	164	218
Kjærgaard J		204
Knudsen L Lomholt		205
Ladefoged SD		74
Larsen S	41,	236
Lauritsen KB		41
Lundborg CJ		212
Lyngborg K		164
Mouridsen HT		102
Munck O		205
Møllmann K-M	89, 92,	96
Neldam S		64
Nielsen IK		71
Nielsen PE	76,	197
Nielsen SL	34,	76
Olsen M Ege		210
Olsen NB		168
Parnas J		82
Pedersen B Nørgaard		123
Pedersen B Villestrup		204
Pedersen JS		27
Pedersen KE		128

Petersen P Lund		123
Rosenkvist H		133
Rossing N		102
Rønnike F		148
Rørth M		102
Sakso P		126
Schroll M	106, 154, 236,	251
Selmer J		218
Serup J		100
Skinhøj P		177
Srivastava KC		201
Stockholm KH		41
Sørensen F Hanberg		126
Tiwari KP		201
Toftager-Larsen K		123
Vogelsang M		164
Wied U		205
Wimberley PD		37
With TK		27
Østerlind AW		71
Åstrup H		74

